

Zero 3300

■ Matt Paint



Description

An economy quality emulsion paint Based on acrylic copolymer emulsion
Special Features : A Durable matt finish with good flaw and Attractive appearance.

Suggested Uses

On interior drywalls, plaster and concrete Surface. As well as primed wooden surface.

Technical Data

- Color: White
- Appearance : Matt
- Theoretical spreading Rate : 9 - 11 sq .m. / Lit per coat, on Ideal surface conditions.
- Film thickness : 30-40 microns (one coat dry)
- Drying time : at 25 °c and 60% relative humidity
- Dust free : 10-15
- Tack free : 3-4 hours
- Recoat ability : 18 hours

Application information

Recommended Thinner : Tap Water Surface preparation surface should be clean and dry.

Wash with wet towel.

	Thinning	Thinner	Nozzle	Pressure
Spray	10 - 15%	Water	0.3-0.4	3-4
Brush or roller	5 - 10%	Water	---	---

Zero 3300

■ Matt Paint



Recommended system (Concrete, cementous: , plaster ,masonry)

- One coat sealer Clear or sealer white (Sealer Strong 1100)
- One or two coats putty Plasma 2200 depending on surface condition .sand between coat
- two – three coat Zero3300
- Wood: -One coat primer (Synthetic Matt) - Two –three coat Zero 3300
- Previously painted surfaces should be dulled by sanding, then treated as new surface.

Application method

Brush, roller or conventional spray

Application Remarks

- Stir the container thoroughly before use periodically during use.
- Not to be applied at temperature below 5°C

Storage Information

SHELF LIFE : 18 months as well ventilated storage area, a way of direct sun.
Net weight : Printed on plastic containers.

Safety Information

- Do not take internally
- Close container after each use
- Use with adequate ventilation (KEEP OUT REACH OF CHILDREN)

■ The information provided about the product is the result of our own laboratory and practical experience. Since the product is often used under different conditions. We cannot guarantee anything but the quality of the product itself. For more inquiries, please contact the technical office